

## MURUS 1600 - BRUSHED STEEL

BIO-10-055SS

Murus 1600 from ScandiFlames is an elegant and slim wall-mounted bio fireplace with a depth of only 16.5 cm. This model features a brushed steel front frame and a black back frame, highlighting the flames. The bio fireplace is equipped with two 60 cm wide manual slimline burners, each with a capacity of 3.0 liters, providing up to 7 hours of burn time per fill. The flame intensity and heat output can be adjusted with the included control tool. Murus 1600 requires no chimney or electricity and is easy to install. The front frame can be replaced with other colors to change the fireplace's appearance. This model is ideal for wall-mounted or built-in use.

### TECHNICAL SPECIFICATIONS

#### Key Specifications

Product type	Wall-mounted Bioethanol Fireplace
Brand	ScandiFlames
Use	Indoor
Warranty	2 years

#### Dimensions & Weight

Length/Width	160 cm
Height	55 cm
Depth	16,5 cm
Weight	29 kg

#### Technical Specifications

Minimum room size	120 m <sup>3</sup>
Fuel	Bioethanol
Burning time up to	7 hours
Capacity	6 Litres
Heat output (max)	6 kW
Consumption	0.87 L/h
Recommended air change rate	1

#### Burner Specifications

Adjustable flame	Yes
Control	Manual
Burner Model	3 Litre Slimline
Flame length	42 cm
Remote control	No

#### Material and Appearance

Material	Steel
Colour	Brushed steel
Shape	Rectangular
Glas included	No

#### Installation Details

Flue/Chimney	Not Required
--------------	--------------





